<b>ANN</b>	FILA IND	USTRIA CHIMIC	CA S.P.A.	Revision nr. 1
surface care solutions				Dated 07/03/2017
	FI	AMARBLE AID	B	Printed on 21/09/2017 Page n. 1/12
	Saf	ety data she	eet	
SECTION 1. Identification	of the substance	mixture and of tl	ne company/unde	rtaking
1.1. Product identifier Product name	FILAMA	RBLE AID B		
1.2. Relevant identified uses of the substance or mixture and uses advised against   Intended use Polymer antacid.				
Identified Uses	Industria	l F	Professional	Consumer
Uses	-		1	-
1.3. Details of the supplier of the safety data sheet   Name FILA INDUSTRIA CHIMICA S.P.A.   Full address Via Garibaldi, 58   District and Country 35018 San Martino di Lupari (PD)   ITALIA				
	Tel. +39	.049.9467300		
	Fax +39	.049.9460753		
e-mail address of the competent pers	son			
responsible for the Safety Data Shee	t sds@fil	asolutions.com		
1.4. Emergency telephone number   For urgent inquiries refer to   TEL +39.049.9467300 (Monday –   Friday; 8.30 - 12.30 and 14.00 - 17.30 )   UNITED KINGDOM: NHS Direct 111 (In England, Scotland North Ireland) 08454647 (Wales); IRELAND 018092166		and North Ireland) 08454647		
SECTION 2. Hazards identification				
2.1. Classification of the substance or mixture				
as product is classified as bazardous pursuant to the provisions set forth in EC Pequilation 1272/2008 (CLP) (and subsequent amondments and				

The product is classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of EC Regulation 1907/2006 and subsequent amendments. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:		
Acute toxicity, category 4	H332	Harmful if inhaled.
Eye irritation, category 2	H319	Causes serious eye irritation.
Specific target organ toxicity - single exposure, category 3	H335	May cause respiratory irritation.
Skin sensitization, category 1	H317	May cause an allergic skin reaction.
Hazardous to the aquatic environment, chronic toxicity,	H412	Harmful to aquatic life with long lasting effects.
category 3		

# 2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

<i>FI</i> IR		FILA INDUST	RIA CHIMICA S.P.A.	Revision nr. 1
surface care solutions				Dated 07/03/2017
		FILAM	ARBLE AID B	Printed on 21/09/2017 Page n. 2/12
Hazard pictograms:				
Signal words:	Warning			
lazard statements:				
H332	Harmful if inhaled.			
H319 H335	Causes serious eye May cause respirate	ory irritation.		
H317 H412		ife with long lasting effe		
EUH204		es. May produce an alle		
Precautionary statements:				
P261	Avoid breathing dus	st / fume / gas / mist / va	pours / spray.	
P273 P280	Avoid release to the Wear protective glo	ves / eye protection / fac	ce protection.	
P312 P362+P364	Take off contaminat	NTRE / doctor / if yo ed clothing and wash it	before reuse.	
P403+P233	Store in a well-venti	lated place. Keep conta	iner tightly closed.	
Contains:	Aliphatic Polyisocya	nate based on Hexame	thylene Diisocyanate (HDI)	
2.3. Other hazards				
In the basis of available d	lata, the product does	not contain any PBT or	vPvB in percentage greater than 0,1%.	
SECTION 3. Com	position/inform	nation on ingred	ients	
3.1. Substances				
nformation not relevant				
3.2. Mixtures				
Contains:				
he full wording of hazard <b>Identification</b>	(H) phrases is given ir	n section 16 of the sheet <b>Conc. %</b>	t. Classification 1272/2008	
Aliphatic Polyisocyana	te based on		(CLP)	
Hexamethylene Diisocya CAS 160994-68-3		65,01	Acute Tox. 4 H332, STOT SE	
CAS 160994-68-3		05,01	3 H335, Skin Sens. 1 H317, Aquatic Chronic 3 H412,	
EC			EUH204	
INDEX -				

<b>ANN</b> <sup>c</sup>	FILA INDUSTRIA CHIMICA S.P.A	Revision nr. 1		
Suffece ene delutions				
		Dated 07/03/2017		
	FILAMARBLE AID B	Printed on 21/09/2017		
		Page n. 3/12		
Di(propylene glycol) dimethyl ethe	er			
CAS 111109-77-4	34,9 Eye Irrit. 2 H319			
EC				
INDEX -				
SECTION 4. First aid mea				
SECTION 4. FIrst aid mea	asures			
4.1. Description of first aid measu	res			
	sent. Wash immediately with plenty of water for at least 15 min	utes, opening the eyelids fully. If problem persists,		
	g. Wash immediately with plenty of water. If irritation persists,	get medical advice/attention. Wash contaminated		
clothing before using it again. INHALATION: Remove to open air. In	the event of breathing difficulties, get medical advice/attention in	nmediately.		
	ntion. Induce vomiting only if indicated by the doctor. Never g			
4.0 Mont immediate summtance and				
4.2. Most important symptoms and	4.2. Most important symptoms and effects, both acute and delayed			
pecific information on symptoms and effects caused by the product are unknown.				
4.3. Indication of any immediate medical attention and special treatment needed				
Information not available				
SECTION 5. Firefighting	SECTION 5. Firefighting measures			
5.1. Extinguishing media				
SUITABLE EXTINGUISHING EQUIPA	/ENT e of the conventional kind: carbon dioxide, foam, powder and wa	iter sprav		
UNSUITABLE EXTINGUISHING EQU				
None in particular.				
5.2. Special hazards arising from t	the substance or mixture			
HAZARDS CAUSED BY EXPOSURE Do not breathe combustion products.	IN THE EVENT OF FIRE			
be not breathe combustion products.				

<u>/IIR</u>	FILA INDUSTRIA CHIMICA S.P.A.	Revision nr. 1
		Dated 07/03/2017
	FILAMARBLE AID B	Printed on 21/09/2017 Page n. 4/12

#### 5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

# **SECTION 6.** Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

#### 6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. If the product is flammable, use explosion-proof equipment. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material. Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

# **SECTION 7. Handling and storage**

## 7.1. Precautions for safe handling

Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Without adequate ventilation, vapours may accumulate at ground level and, if ignited, catch fire even at a distance, with the danger of backfire. Avoid bunching of electrostatic charges. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat. Avoid leakage of the product into the environment.

<u>FIR</u>	FILA INDUSTRIA CHIMICA S.P.A.	Revision nr. 1
		Dated 07/03/2017
	FILAMARBLE AID B	Printed on 21/09/2017
		Page n. 5/12

# 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store in a well ventilated place, keep far away from sources of heat, naked flames and sparks and other sources of ignition. Keep containers away from any incompatible materials, see section 10 for details.

#### 7.3. Specific end use(s)

Information not available

# **SECTION 8. Exposure controls/personal protection**

### 8.1. Control parameters

TLV of solvent mixture: 0,03 mg/m3

#### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice. Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

#### HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

#### SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

## EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

# RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

# FILA INDUSTRIA CHIMICA S.P.A.

Revision nr. 1

# Dated 07/03/2017

# FILAMARBLE AID B

Printed on 21/09/2017

Page n. 6/12

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

# **SECTION 9.** Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Appearance Colour Odour Odour threshold pH Melting point / freezing point Initial boiling point Boiling range Flash point Evaporation Rate Flammability of solids and gases Lower inflammability limit Upper inflammability limit Lower explosive limit Upper explosive limit Upper explosive limit Vapour pressure Vapour density Relative density Solubility Partition coefficient: n-octanol/water Auto-ignition temperature Decomposition temperature Viscosity Explosive properties Oxidising properties	viscous liquid colourless characteristic Not available Not applicable Not available 175 °C Not available 61 °C Not available Not available Not available Not available Not available 15 @ 20 °C Not available 1,07 Kg/l Not available 300 °C Not available 91 mPa.s @ 20 °C (68 °F) Not available Not available
9.2. Other information	

VOC (Directive 2010/75/EC) : VOC (volatile carbon) :

# **SECTION 10. Stability and reactivity**

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

0 0

# 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

<b>FIR</b>	FILA INDUSTRIA CHIMICA S.P.A.	Revision nr. 1
surface care solutions		Dated 07/03/2017
	FILAMARBLE AID B	Printed on 21/09/2017
		Page n. 7/12
lo bazardous reactions are foreseeab	le in normal conditions of use and storage.	
	in normal conditions of use and storage.	
10.4. Conditions to avoid		
None in particular. However the usual	precautions used for chemical products should be respected.	
10.5. Incompatible materials		
nformation not available		
10.6. Hazardous decomposition p	roducts	
nformation not available		
SECTION 11. Toxicologic	cal information	
n the absence of experimental data f he criteria specified in the applicable i	or the product itself, health hazards are evaluated according to the prop	perties of the substances it contains, using
it is therefore necessary to take into a offects of exposure to the product.	ccount the concentration of the individual hazardous substances indicated	d in section 3, to evaluate the toxicological
11.1. Information on toxicological	effects	

Metabolism, toxicokinetics, mechanism of action and other information	
Information not available	
Information on likely routes of exposure	
Information not available	
Delayed and immediate effects as well as chronic effects from short and long-term exposure	
Information not available	
Interactive effects	
Information not available	
ACUTE TOXICITY	
LC50 (Inhalation) of the mixture:16,92 mg/l	
LD50 (Oral) of the mixture:Not classified (no significant component)	
LD50 (Dermal) of the mixture:Not classified (no significant component)	

Aliphatic Polyisocyanate based on Hexamethylene Diisocyanate (HDI) > 2000 mg/kg rat LD50 (Oral) > 2000 mg/kg rat male/female, OECD Test Guideline 402 LD50 (Dermal) 0,39 mg/l/4h rat female, OECD Test Guideline 403

ATTER OR ROOM	FILA INDUSTRIA CHIMICA S.P.A.	Revision nr. 1
	FILAMARBLE AID B	Dated 07/03/2017 Printed on 21/09/2017 Page n. 8/12
LC50 (Inhalation)		

**SKIN CORROSION / IRRITATION** Does not meet the classification criteria for this hazard class SERIOUS EYE DAMAGE / IRRITATION Causes serious eye irritation RESPIRATORY ÓR SKIN SENSITISATION Sensitising for the skin GERM CELL MUTAGENICITY Does not meet the classification criteria for this hazard class CARCINOGENICITY Does not meet the classification criteria for this hazard class REPRODUCTIVE TOXICITY Does not meet the classification criteria for this hazard class STOT - SINGLE EXPOSURE May cause respiratory irritation STOT - REPEATED EXPOSURE Does not meet the classification criteria for this hazard class ASPIRATION HAZARD Does not meet the classification criteria for this hazard class **SECTION 12. Ecological information** 

This product is dangerous for the environment and the aquatic organisms. In the long term, it have negative effects on aquatic environment. **12.1. Toxicity** 

Aliphatic Polyisocyanate based on Hexamethylene Diisocyanate (HDI) LC50 - for Fish

28,3 mg/l/96h Danio rerio > 100 mg/l/48h Daphnia Magna > 100 mg/l/72h IC50 scenedesmus subspicatus

EC50 - for Algae / Aquatic Plants

EC50 - for Crustacea

## 12.2. Persistence and degradability

Aliphatic Polyisocyanate based on Hexamethylene Diisocyanate (HDI) NOT rapidly degradable

2% 28d OECD TG 301 F

## 12.3. Bioaccumulative potential

Information not available

#### 12.4. Mobility in soil

Information not available

# 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

<u>FAR</u>	FILA INDUSTRIA CHIMICA S.P.A.	Revision nr. 1
		Dated 07/03/2017
	FILAMARBLE AID B	Printed on 21/09/2017
		Page n. 9/12

# 12.6. Other adverse effects

Information not available

# **SECTION 13.** Disposal considerations

## 13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

# **SECTION 14. Transport information**

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

## 14.1. UN number

Not applicable

#### 14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

# 14.4. Packing group

Not applicable

# 14.5. Environmental hazards

Not applicable

	FILA INDUSTRIA CHIMICA S.P.A.	Revision nr. 1		
	FILAMARBLE AID B	Dated 07/03/2017 Printed on 21/09/2017 Page n. 10/12		
14.6. Special precautions for user				
Not applicable				
14.7. Transport in bulk according to	Annex II of Marpol and the IBC Code			
Information not relevant				
SECTION 15. Regulatory information				
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture				
Seveso Category - Directive 2012/18/E	EC: None			
Restrictions relating to the product or c	contained substances pursuant to Annex XVII to EC Regulation 1907/200	<u>06</u>		
Product Point	3			
Substances in Candidate List (Art. 59 I	REACH)			
On the basis of available data, the proc	duct does not contain any SVHC in percentage greater than 0,1%.			
Substances subject to authorisarion (A	nnex XIV REACH)			
None				
Substances subject to exportation repo	orting pursuant to (EC) Reg. 649/2012:			
None				
Substances subject to the Rotterdam (	Convention:			
None				
Substances subject to the Stockholm (	Convention:			
None				
Healthcare controls				
Workers exposed to this chemical age workers' health and safety are modest	nt must not undergo health checks, provided that available risk-assessn and that the 98/24/EC directive is respected.	nent data prove that the risks related to the		
15.2. Chemical safety assessment				

# FILA INDUSTRIA CHIMICA S.P.A.

Revision nr. 1

# FILAMARBLE AID B

Dated 07/03/2017 Printed on 21/09/2017

Page n. 11/12

No chemical safety assessment has been processed for the mixture and the substances it contains.

# **SECTION 16. Other information**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 4	Acute toxicity, category 4	
Eye Irrit. 2	Eye irritation, category 2	
STOT SE 3	Specific target organ toxicity - single exposure, category 3	
Skin Sens. 1	Skin sensitization, category 1	
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3	
H332	Harmful if inhaled.	
H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	
H317	May cause an allergic skin reaction.	
H412	Harmful to aquatic life with long lasting effects.	
EUH204	Contains isocyanates. May produce an allergic reaction.	

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EU) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament

FILA INDUSTRIA CHIMICA S.P.A.	Revision nr. 1
	Dated 07/03/2017 Printed on 21/09/2017
FILAMARBLE AID B	Page n. 12/12

6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament

8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament

9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament

11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament

- The Merck Index. - 10th Edition - Handling Chemical Safety

INRS - Fiche Toxicologique (toxicological sheet)

Patty - Industrial Hygiene and Toxicology

N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition

IFA GESTIS website

ECHA website

Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review: The following sections were modified:

01 / 02 / 03 / 04 / 09 / 10 / 11 / 12.